

## New Products for 2025

# Passenger Cars Motor Oils



**GT Synth IQ Formula 10W40**  
 ACEA A3/B3, (A3/B4-08)  
 API SL/CF  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 06.02



**GT Synth Hi Power Pro 10W40**  
 API SL/CF  
 ACEA A3/B4  
 BMW Longlife-98  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 80.13



**GT Synth IQ Formula SN/CF 10W40**  
 ACEA A3/B4  
 API SN/CF  
 BMW Longlife-98  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 06.90



**GT Synth IQ Formula 10W40**  
 ACEA A3/B4  
 API SN/CF  
 MB 229.3  
 PSA B71 2300  
 Renault RN0700 / RN0710  
 VW 501.01 / 505.00  
 Part no: 06.30



**GT Synth Hi Power Pro 10W40**  
 API SN/CF  
 ACEA A3/B4  
 BMW Longlife-98  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 80.04



**GT Specialsynth S 10W40**  
 API SP  
 Part no: 40.15

**NEW PRODUCT 2025**



**GT Synth Hi Power Pro 10W40**  
 ACEA A3/B4  
 API SN/CF  
 BMW Longlife-98  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 80.15



**GT Specialsynth S 5W30**  
 API SP Resource Conserving  
 ILSAC GF-6A  
 Part no: 40.13

**NEW PRODUCT 2025**



**GT Synth IQ Formula 5W30**  
 ACEA A3/B4  
 API SN/CF  
 BMW Longlife-98  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 06.94

## New Products for 2025

# Passenger Cars Motor Oils



### GT Synth IQ Formula 5W30

ACEA A5/B5  
API SL/CF  
Ford WSS-M2C913-A/B  
Part no: 06.60



### GT Synth Hi Power Pro 5W30

ACEA C2, C3  
API SN  
BMW Longlife-04  
GM dexos 2  
MB 229.51/229.52  
Porsche C30 VW 505.01  
Part no: 80.09



### GT Synth IQ Formula 5W30

ACEA A3/B4; API SH/CF  
BMW Longlife-01  
MB 229.3/226.5  
Renault RN0700  
VW 502.00/505.00  
\*) API SN quality only; not-licensable  
due to phosphorus-limit  
Part no: 06.21



### GT Synth IQ Formula 5W30

ACEA A5/B5, A1/B1  
API SL/CF  
Meets the requirements of:  
Ford WSS-M2C913-D  
Jaguar Land Rover STJLR.03.5003  
Renault RN0700  
VW VWC 53036  
Part no: 06.55



### GT Specialsynth D 5W30

ACEA C2, C3; API SP  
BMW Longlife-04  
Fiat 9.55535-S1; GM dexos 2  
MB 229.31 / 229.51 / 229.52  
Opel OV 040 1547 - D30 / G30  
VW 505.00 / 505.01  
Part no: 40.16

**NEW  
PRODUCT  
2025**



### GT Synth Hi Power Pro 5W30

ACEA C3  
API SN  
BMW Longlife-04  
MB 229.31/229.51  
Porsche C30  
VW 504.00/507.00  
Part no: 80.10



### GT Synth IQ Formula 5W30

API SP Resource Conserving; ILSAC GF-6A  
Meets the requirements of: GM dexos 1 Gen 3  
Opel OV 040 1547 - G30; Chrysler MS 6395  
Fiat 9.55535-CR1  
Ford WSS-M2C946-A/B1 / M2C961-A1 / M2C929-A  
GM 6094M / 4718M  
VW VWC 53034  
Part no: 06.07



### GT Synth Hi Power Pro 5W30

ACEA C3  
API SN  
BMW Longlife-04  
MB 229.31/229.51  
Porsche C30  
VW 504.00/507.00  
Part no: 80.17



### GT Synth IQ Formula 5W30

ACEA **C2 C3**  
API SP  
PSA B71 2290  
Meets the requirements of:  
MB 229.31 / 229.51 / 229.52 / 226.52  
Renault RN17 / RN0700 / RN0710  
Part no: 06.83



## New Products for 2025

# Passenger Cars Motor Oils



**GT Synth IQ Formula 5W30**  
 ACEA **C2 C3**; API SP  
 BMW Longlife-04; Fiat 9.55535-S1  
 GM dexos 2  
 MB 229.31 / 229.51 / 229.52  
 Opel OV 040 1547 - D30 / G30  
 VW 505.00 / 505.01  
 Part no: 06.85



**GT Synth IQ Formula C2 5W30**  
 ACEA **C2**  
 API SN/CF  
 Fiat 9.55535-S1  
 Renault RN0700  
 Part no: 06.23



**GT Synth IQ Formula 5W30**  
 ACEA **C2, C3**  
 API SN, API SN Plus  
 MB-Approval 229.31 / 229.51 / 229.52  
 BMW Longlife-04  
 Meets the requirements of:  
 GM dexos 2  
 Opel OV 040 1547 - D30 / G30  
 VW 505.00 / 505.01  
 Part no: 06.54



**GT Synth IQ Formula C1 5W30**  
 ACEA **C1**  
 Jaguar Land Rover STJLR.03.5005  
 Meets the requirements of:  
 Ford WSS-M2C934-B  
 Part no: 06.24



**GT Specialsynth Extendo 5W30**  
 ACEA **C3**  
 API SN  
 Approved under VW 504.00 / 507.00  
 Meets the requirements of:  
 BMW Longlife-04  
 MB 229.51 / 229.31  
 Porsche C30  
 Part no: 40.18

**NEW PRODUCT 2025**



**GT Synth IQ Formula 5W30**  
 ACEA **C2, C3**  
 API SP  
 BMW Longlife-04  
 MB-Approval 229.51 / 229.52 / 229.31  
 Meets the requirements of:  
 Opel OV 040 1547 - D30 / G30  
 Fiat 9.55535-S1  
 GM dexos 2  
 VW 505.00 / 505.01  
 Part no: 06.74



**GT Synth IQ Formula C4 5W30**  
 ACEA **C3, C4**  
 MB-Approval 229.51  
 Meets the requirements of:  
 MB 226.51  
 Renault RN0720  
 Part no: 06.34



**GT Synth IQ Formula NF 5W30**  
 ACEA **C3**; API SP  
 Approved under VW 504.00 / 507.00  
 MB-Approval 229.51 / 229.52  
 BMW Longlife-04  
 Meets the requirements of:  
 MB 229.31  
 Opel OV 040 1547 - D30 / G30  
 Porsche C30  
 Part no: 06.56



**GT Synth IQ Formula 5W40**  
 ACEA A3/B4  
 API SN/CF  
 BMW Longlife-98  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 06.95

## New Products for 2025

# Passenger Cars Motor Oils



### GT Specialsynth S 5W40

API SP  
Part no: 40.14

NEW  
PRODUCT  
2025



### GT Synth Hi Power Pro 5W40

ACEA C3  
API SN  
BMW Longlife-04  
MB 229.51  
VW 505.01  
Part no: 80.06



### GT Synth IQ Formula 5W40

ACEA A3/B4 API SN/CF  
BMW Longlife-01  
Fiat 9.55535-M2; GM LL-B-025  
MB 229.3 / 226.5  
Porsche A40  
PSA B71 2296  
Renault RN0700 / RN0710  
VW 502.00 / 505.00  
Part no: 06.42



### GT Synth IQ Formula 5W40

ACEA **C3**  
API SN, API SN Plus  
BMW Longlife-04  
MB 229.51 / 229.52  
VW 505.00 / 505.01  
Ford M2C917-A  
Part no: 06.62



### GT Synth IQ Formula 5W40

ACEA A3/B4; API SN/CF  
Meets the requirements of:  
MB 229.3 / 226.5  
Renault RN0700 / RN0710  
VW 502.00 / 505.00  
BMW Longlife-01  
Fiat 9.55535-M2; GM LL-B-025  
Porsche A40; PSA B71 2296  
Part no: 06.20



### GT Synth Hi Power Pro 5W40

ACEA C3  
API SN  
BMW Longlife-04  
MB 229.51  
VW 505.01  
Part no: 80.16



### GT Synth IQ Formula 5W40

ACEA A3/B4 API SN/CF  
Meets the requirements of:  
BMW Longlife-01  
MB 229.5 / 229.3 / 226.5  
Opel GM-LL-B-025  
Porsche A40  
PSA B71 2296  
Renault RN0700 / RN0710  
VW 502.00 / 505.00 / 501.01  
Part no: 06.75



### GT Synth IQ Formula 5W40 NF

ACEA **C3**  
API SN, API SN Plus  
BMW Longlife-04  
MB-Approval 229.51  
Meets the requirements of:  
MB 229.31 / 229.52  
VW 505.00 / 505.01  
Ford M2C917-A  
Part no: 06.04



### GT Specialsynth ES 5W40

ACEA **C3**  
ACEA C3  
API SN/CF  
BMW Longlife-04  
Fiat 9.55535-S2  
Ford M2C917-A  
GM dexos 2  
MB 229.31/226.5  
Renault RN0700/RN0710  
VW 505.00/505.01  
Part no: 06.64



## New Products for 2025

# Passenger Cars Motor Oils



### GT Specialsynth X 5W40

ACEA C3 API SN  
Meets the requirements of:  
BMW Longlife-04  
MB 229.52 / 229.51 / 229.31  
Porsche C40; VW 511.00  
GM dexos 2  
Renault RN0700 / RN0710  
Part no: 40.03  
4

NEW  
PRODUCT  
2025



### GT Synth IQ Formula 0W30

ACEA A3/B4 API SH/CF  
BMW Longlife-01; MB 229.3/226.5  
Renault RN0700; VW 502.00/505.00  
API SN/CF \*)  
\*) API SN quality only; not-licensable  
due to phosphorus-limit  
Part no: 06.50



### GT Synth IQ Formula 0W30

ACEA A3/B4  
API SH/CF  
BMW Longlife-01  
MB 229.3/226.5  
Renault RN0700  
VW 502.00/505.00  
API SN/CF \*)  
\*) API SN quality only; not-licensable  
due to phosphorus-limit  
Part no: 06.68



### GT Specialsynth NF 0W30

ACEA C3  
API SN/CF  
BMW Longlife-04  
MB 229.31/229.51/229.52  
Renault RN0700/0710  
Part no: 40.05

NEW  
PRODUCT  
2025



### GT Synth IQ Formula 0W30

ACEA A5/B5  
API SL  
Volvo VCC 95200377  
Part no: 06.52



### GT Synth IQ Formula 0W30

Performance level  
ACEA C2, A5/B5  
API SP  
Part no: 06.51



### GT Synth IQ Formula 0W30

ACEA C2  
Ford WSS-M2C950-A  
Jaguar Land Rover STJLR.03.5007  
Meets the requirements of:  
VW VVC 53035  
Part no: 06.05



### GT Synth IQ Formula VW 0W30

ACEA C3  
Approved under VW 504.00 / 507.00  
BMW Longlife-04  
MB-Approval 229.51  
Meets the requirements of:  
MB 229.52 / 229.31  
Porsche C30  
Part no: 06.44



### GT Synth IQ Formula PSA 0W30

ACEA C2  
API SP  
PSA B71 2312  
Meets the requirements of:  
PSA B71 2302  
Fiat 9.55535-GS1/DS1  
Part no: 06.77

## New Products for 2025

# Passenger Cars Motor Oils



### GT Synth IQ Formula 0W30

ACEA C2, A5/B5  
API SP Resource Conserving  
ILSAC GF-6A; BMW Longlife-12 FE  
MB-Approval 229.61  
Meets the requirements of:  
DTRF 15D100  
Ford WSS-M2C950-A  
MB 227.61; VW VWC 53035  
Part no: 06.99



### GT Synth IQ Formula 0W40

ACEA A3/B4  
API SN/CF  
BMW Longlife-01  
MB 229.3/226.5  
Porsche A40  
Renault RN0700/RN0710  
VW 502.00/505.00  
Part no: 06.38



### GT Specialsynth X 0W40

ACEA C3  
API SN  
BMW Longlife-04  
GM dexos 2  
MB 229.52 / 229.51 / 229.31  
Porsche C40  
Renault RN0700 / RN0710  
VW 511.00  
Part no: 40.17

NEW  
PRODUCT  
2025



### GT Arctic Synth IQ Formula Synthetic 0W20

ACEA A1/B1  
API SH/CF  
API SN/CF \*)  
\*) API SN quality only; not-licensable due to phosphorus-limit  
Part no: 06.53



### GT Synth IQ Formula 0W20

API SP Resource Conserving  
ILSAC GF-6A  
Meets the requirements of:  
GM dexos 1 Gen 3  
Chrysler MS 6395  
Fiat 9.55535-CR1  
Ford WSS-M2C947-A/B1 / WSS-M2C962-A1  
GM 6094M  
Part no: 06.09



### GT Synth IQ Formula 0W40

ACEA A3/B4 API SN  
Meets the requirements of:  
BMW Longlife-01  
Ford WSS-M2C937-A  
MB 229.3 / 229.5  
Porsche A40  
Renault RN0700/RN0710  
VW 502.00/505.00  
Part no: 06.78



### GT Synth IQ Formula 0W20

ACEA C5,  
API SP  
Volvo VCC RBS0-2AE  
Part no: 06.89



### GT Specialsynth P 0W20

ACEA C5, C6  
API SP  
PSA B71 2010  
Meets the requirements of:  
Fiat 9.55535-DM1/GSX  
Part no: 40.19

NEW  
PRODUCT  
2025



### GT Specialsynth OV 0W20

ACEA C5, C6 API SP Resource Conserving  
ILSAC GF-6A Jaguar Land Rover  
STJLR.03.5006 Volvo VCC RBS0-2AE  
Meets the requirements of:  
Ford WSS-M2C954-A1 / WSS-M2C947-B1 /  
WSS-M2C962-A1  
MB 229.71 / 229.72  
Opel OV 040 1547 - A20  
Chrysler MS-12145  
Fiat 9.55535-GSX  
Part no: 40.04

NEW  
PRODUCT  
2025



## New Products for 2025

# Passenger Cars Motor Oils



### GT Specialsynth P 0W20

ACEA C5, C6  
API SP  
Ford WSS-M2C952-A1  
Jaguar Land Rover STJLR.03.5006  
Meets the requirements of:  
GM dexos D  
MB 229.71  
Opel OV 040 1547 - A20  
Part no: 40.09

**NEW  
PRODUCT  
2025**



### GT Synth IQ Formula 0W20

ACEA C5, C6 API SP Resource Conserving  
ILSAC GF-6A BMW Longlife-17 FE+  
Jaguar Land Rover STJLR.03.5006  
MB-Approval 229.71 / 229.72  
Meets the requirements of:  
Ford WSS-M2C954-A1 / WSS-M2C947-B1 /  
WSS-M2C962-A1; Opel OV 040 1547 - A20  
Chrysler MS-12145; Fiat 9.55535-GSX  
Part no: 06.82



### GT Specialsynth Extendo NF 0W20

ACEA C5  
Approved under VW 508.00/509.00  
Meets the requirements of:  
Ford WSS-M2C956-A1  
Porsche C20  
Part no: 40.08

**NEW  
PRODUCT  
2025**



### GT Synth IQ Formula 5W20

ACEA C5  
API SP  
Ford WSS-M2C948-B  
Meets the requirements of:  
Jaguar Land Rover STJLR.03.5004  
Part no: 06.67



### GT Synth IQ Formula 5W20

API SP Resource Conserving  
ILSAC GF-6A; GM dexos 1 Gen 3  
Chrysler MS 6395  
Fiat 9.55535-CR1  
Ford WSS-M2C945-A/B1 / WSS-M2C960-A1  
GM 6094M  
Part no: 06.08



### GT Specialsynth R 0W20

ACEA C5, C6; API SP  
Meets the requirements of:  
Renault RN17 FE  
Part no: 40.01

**NEW  
PRODUCT  
2025**



### GT Synth IQ Formula 15W40

API SF/CC  
CCMC G2/D1  
Part no: 04.03



### GT Synth IQ Formula 15W40

ACEA A3/B4  
API SL/CF  
MB 229.1  
VW 501.01/505.00  
Part no: 06.33



### GT Synth IQ Formula 15W40

ACEA A3/B4  
API SN/CF  
MB 229.1  
VW 501.01/505.00  
Part no: 05.01

## New Products for 2025

# Passenger Cars Motor Oils



**GT Specialsynth S 10W30**  
 API SP Resource Conserving  
 ILSAC GF-6A  
 Part no: 40.12



**GT Synth IQ Formula 20W50**  
 ACEA A3/B4  
 API SL/CF  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 05.12



**GT Synth IQ Formula 20W50**  
 API SF/CC  
 CCMC G2/D1  
 Part no: 04.05



**GT Synth IQ Formula 10W30**  
 ACEA A3/B3  
 API SL/CF  
 MB 229.1  
 API SM/CF \*)  
 \*) API SM quality only; not-licensable due to phosphorus-limit  
 Part no: 06.49



**GT Synth IQ Formula 10W30**  
 ACEA A3/B3  
 API SL/CF  
 Part no: 06.37



**GT Synth IQ Formula 10W30**  
 ACEA A3/B4  
 API SH/CF  
 VW 502.00/505.00  
 API SN/CF \*)  
 \*) API SN quality only; not-licensable due to phosphorus-limit  
 Part no: 06.84



## New Products for 2025

# Passenger Cars Motor Oils



**GT Synth IQ Formula 15W50**  
 ACEA A3/B4  
 API SL/CF  
 MB 229.1  
 VW 501.01/505.00  
 Part no: 05.07



**GT Synth IQ Formula 5W50**  
 ACEA A3/B4  
 API SN/CF  
 MB 229.3  
 Porsche A40  
 VW 502.00/505.00  
 Part no: 06.31



**GT Fully Synthetic IQ Formula 5W50**  
 ACEA A3/B4  
 API SN/CF  
 MB 229.3  
 Porsche A40  
 VW 502.00/505.00  
 Part no: 06.12



**GT Fully Synthetic IQ Formula 10W60**  
 ACEA A3/B4  
 API SN/CF  
 Part no: 06.16



**GT Synth IQ Formula 10W60**  
 ACEA C3  
 API SN/CF  
 Part no: 06.66



**RS Fully Racing Synthetic Cup Extreme Oil 5W50**  
 ACEA A3/B4  
 API SN/CF  
 Part no: 06.76



**RS Fully Racing Synthetic Cup Extreme Oil 10W60**  
 ACEA A3/B4  
 API SN/CF  
 Part no: 06.71



**Racing Oil 10W50**  
 ACEA A3/B4  
 API SN/CF  
 Part no: 40.11  
 4



**GT Specialsynth 0W8**  
 JASO GLV-1  
 Part no: 40.10



## New Products for 2025

# Passenger Cars Motor Oils



**GT Synth IQ Formula NF 0W16**  
 API SP Resource Conserving  
 ILSAC GF-6B  
 Part no: 06.88



**S High Performance Intelligence SAE 30**  
 API SF/CC  
 CCMC G2/D1  
 MIL-L-46152B/C  
 Ford M2C153-C (SF/CC)  
 Ford M2C9011-A  
 GM 6085M  
 Part no: 03.03



**S High Performance Intelligence SAE 40**  
 API SF/CC  
 CCMC G2/D1  
 MIL-L-46152B/C  
 Ford M2C153-C (SF/CC)  
 Ford M2C9011-A  
 GM 6085M  
 Part no: 03.04



**Brake Fluid DOT 4**  
 FMVSS 116 DOT 4  
 SAE J1703, ISO 4925  
 Part no: 25.01



**Brake Fluid DOT 4 RACING**  
 FMVSS 116 DOT 4  
 SAE J1703, ISO 4925  
 Part no: 25.01



**S High Performance Intelligence SAE 50**  
 API SF/CC  
 CCMC G2/D1  
 MIL-L-46152B/C  
 Ford M2C153-C (SF/CC)  
 Ford M2C9011-A  
 GM 6085M  
 Part no: 03.05



## Heavy Duty & Heavy Goods Vehicles Motor Oils



### LKW Max Power & Torque Ultra HS 10W-40

ACEA A3/B4, E7; API CI-4 / SL  
Cat ECF-1-a / ECF-2; Cummins CES 20077 / 20078; Detroit Diesel 93K215  
Deutz DQC III-18; DTFR 15B110  
Global DHD-1; JASO DH-1; Mack EO-N  
MAN M 3275; MB 228.3; MTU Type 2  
Renault VI RLD-2; Volvo VDS-3  
ZF 04C / 05K / 07C / 07D / 21K  
Part no: 10.15



### LB Truck Line LSP 10W40

ACEA E7, E9, E11; API CK-4 / SN  
Cat ECF-3; Cummins CES 20086  
Detroit Diesel 93K222; Deutz DQC III-18  
LA; DTFR 15C100; Ford WSS M2C171-F1  
JASO DH-2; Mack EOS-4.5; MAN M 3775  
MB 228.31; MTU Type 2.1  
Renault VI RLD-3; Volvo VDS-4.5  
Part no: 43.02



### LKW Max Power & Torque LSP 10W-40

ACEA E6, E7, E8, E9, E11; API CI-4  
Cat ECF-1; Cummins CES 20076 / 20077; DAF Extended Drain  
Deutz DQC IV-18 LA; DTFR 15C110  
Iveco 18-1804 TLS E9 / M 3271-3  
JASO DH-2; Mack EO-N  
MAN M 3477 / M 3271-1  
MB 228.51; MTU Type 3.1  
Renault VI RLD-2 / RXD / RGD  
Volvo VDS-3  
Part no: 10.22



### LB Turbosynth NF 10W40

ACEA E4, E7; API CI-4  
Cummins CES 20078 / 20077  
Deutz IV-18; DTFR 15B120  
Mack EO-N; MAN M 3277  
MB 228.5; MTU Type 3  
Renault VI RLD-2  
Scania LDF-3  
Volvo VDS-3  
Part no: 43.05



### LKW Max Power & Torque LSP 10W-40

ACEA E6, E7, E8, E9, E11; API CI-4  
Deutz DQC IV-18 LA; Mack EO-N  
DTFR 15C110 (228.51); NATO-code  
O-1180, TL 9150-0107/4; Renault VI  
RLD-2; Volvo VDS-3; Meets the re-  
quirements of: Cat ECF-1; Cummins  
CES 20076 / 20077; JASO DH-2  
MAN M 3477 / M 3271-1 / M 3271-3  
MB 228.51; MTU Type 3.1; DAF Ex-  
tended Drain; Iveco 18-1804 TLS E9  
Renault VI RXD / RGD  
Part no: 10.13



### LKW Max Power & Torque Ultra HS 10W-40

ACEA A3/B4, E7; API CI-4 / SL; Mack EO-N,  
Renault VI RLD-2; Volvo VDS-3  
Meets the requirements of: Cat ECF-1-a / ECF-  
2; Cummins CES 20077 / 20078  
Detroit Diesel 93K215; Deutz DQC III-18  
DTFR 15B110; Global DHD-1; JASO DH-1  
MAN M 3275; MB 228.3; MTU Type 2  
ZF 04C / 05K / 07C / 07D / 21K  
Part no: 10.03



### LKW Max Power & Torque LSP 10W-40

ACEA E6, E7, E8, E9, E11; API CK-4  
Deutz DQC IV-18 LA; DTFR 15C110  
(228.51); Mack EOS-4.5; Renault VI RLD-  
3; Volvo VDS-4.5; Meets the re-  
quirements of: Cat ECF-3; Cummins CES  
20086; Detroit Diesel 93K222; DTFR  
15C120 / 15C100; JASO DH-2; MAN M  
3477 / M 3775; MB 228.51 / 228.52 /  
228.31; MTU Type 3.1; DAF Extended  
Drain; Iveco 18-1804 TLS E9  
Part no: 10.38



### LKW Max Power & Torque NF 10W-40

ACEA E4, E7; API CI-4; Mack EO-N  
Renault VI RLD-2; Scania LDF-3; Volvo  
VDS-3; Meets the requirements of:  
Cummins CES 20078 / 20077; Deutz  
IV-18; DTFR 15B120; MAN M 3277; MB  
228.5; MTU Type 3  
Part no: 10.20



### LKW Max Power & Torque 5W20

ACEA E4, E6, E7, E8, E9, E11; API CK-4  
Mack EOS 4.5; Renault VI RLD-3; Volvo  
VDS-4.5; Meets the requirements of:  
Cat ECF-3; Cummins CES 20086 / 20081  
DAF PSQL 2.1E LD / Extended Drain  
Detroit Diesel 93K222; Deutz DQC IV-18  
LA; DTFR 15C110 / 15C120 / 15C100  
JASO DH-2; MAN M 3775 / M 3477 / M  
3271-1; MB 228.51 / 228.52 / 228.31  
MTU Type 3.1 / 2.1; Scania Low Ash  
Part no: 43.03



## Heavy Duty & Heavy Goods Vehicles Motor Oils



**LKW Max Power & Torque Ultra 5W-30**  
 ACEA F01; API FA-4 / SN Plus  
 DTFR 15C130 (228.61); Mack EOS-5  
 Renault RLD-5; Volvo VDS-5  
 Meets the requirements of:  
 Cummins CES 20087  
 Detroit Diesel DFS 93K223  
 Ford WSS-M2C214-B1  
 JASO DH-2; MB 228.61  
 Part no: 10.08



**LKW Max Power & Torque 5W20**  
 Scania LDF-5  
 Meets the requirements of:  
 MAN M 3977  
 Part no:43.01



**LKW Max Power & Torque Ultra 15W-40**  
 ACEA E7; API CH-4/SJ; Cat ECF-1-a  
 Cummins CES 20076/20077  
 Deutz DQC III-10; MAN M 3275-1  
 MB 228.1; MTU Type 2; Volvo VDS-2  
 Part no: 09.04



**LKW Max Power & Torque Ultra 15W-40**  
 ACEA E7; API CI-4 / SL; DTFR 15B110  
 (228.3); Deutz DQC III-18; Mack EO-N,  
 Renault VI RLD-2; Volvo VDS-3  
 Meets the requirements of:  
 Cat ECF-1-a / ECF-2; Cummins CES  
 20077 / 20078; Detroit Diesel 93K215  
 Global DHD-1; JASO DH-1; Mack  
 EO-M Plus; MAN M 3275-1; MB 228.3  
 MTU Type 2; Allison C3, CAT TO-2  
 ZF 04C / 04P / 07C / 07D / 21K  
 Part no: 10.01



**Unifleet Ultra 15W40 TBN-16**  
 ACEA E7; API CI-4 / SL; Cat ECF-1-a /  
 ECF-2; Cummins CES 20077/20078  
 Detroit Diesel 93K215; Deutz DQC III-  
 18; DTFR 15B110; Global DHD-1  
 JASO DH-1; Mack EO-N/EO-M Plus  
 MAN M 3275-1; MB 228.3; MTU Type 2  
 Renault VI RLD-2; Volvo VDS-3  
 Allison C3, CAT TO-2  
 ZF 04C / 04P / 07C / 07D / 21K  
 Part no: 43.06



**LKW Max Power & Torque Ultra 15W-40**  
 ACEA E7; API CI-4 / SL; Cat ECF-1-a /  
 ECF-2; Cummins CES 20077/20078  
 Detroit Diesel 93K215; Deutz DQC  
 III-18; DTFR 15B110; Global DHD-1;  
 JASO DH-1; Mack EO-N/EO-M Plus;  
 MAN M 3275-1; MB 228.3; MTU Type 2;  
 Renault VI RLD-2; Volvo VDS-3  
 Allison C3, CAT TO-2  
 ZF 04C / 04P / 07C / 07D / 21K  
 Part no: 10.12-B



**LKW Max Power & Torque LSP 15W-40**  
 ACEA E7, E9, E11; API CK-4 / SN; Cat  
 ECF-3; Cummins CES 20086; Detroit  
 Diesel 93K222; Deutz DQC III-18 LA  
 DTFR 15C100; Ford WSS M2C171-F1  
 JASO DH-2; Mack EOS-4.5; MAN M  
 3775; MB 228.31; MTU Type 2.1  
 Renault VI RLD-3; Volvo VDS-4.5  
 Allison TES-439  
 Part no: 10.35



**LKW Max Power & Torque Fleet Line LSP 15W-40**  
 ACEA E7, E9, E11; API CK-4 / SN  
 Mack EOS-4.5; Renault VI RLD-3  
 Volvo VDS-4.5; Meets the require-  
 ments of: Cat ECF-3; Cummins CES  
 20086; Detroit Diesel 93K222; Deutz  
 DQC III-18 LA; DTFR 15C100; Ford  
 WSS M2C171-F1; JASO DH-2; MAN  
 M 3775; MB 228.31; MTU Type 2.1  
 Allison TES-439  
 Part no: 10.11



**LKW Max Power & Torque Fleet Line LSP 20W-50**  
 ACEA E7  
 API CH-4/SJ  
 Deutz DQC III-10  
 MB 228.1  
 Part no: 09.15



## Heavy Duty & Heavy Goods Vehicles Motor Oils



**LKW Max Power & Torque Ultra 20W-50**  
 ACEA E7  
 API CI-4 / SL  
 Cummins CES 20077 / 20078  
 Deutz DQC III-18  
 DTFR 15B110  
 Global DHD-1  
 MB 228.3  
 Part no: 10.04



**Unifleet Ultra 20W50 TBN-16**  
 ACEA E7  
 API CI-4 / SL  
 Cummins CES 20077 / 20078  
 Deutz DQC III-18  
 DTFR 15B110  
 Global DHD-1  
 MB 228.3  
 Part no: 43.07



**LKW Max Power & Torque Fleet-force CI-4 15W-50**  
 ACEA A3/B4, E7  
 API CI-4/SL  
 DTFR 15B110  
 MB 228.3  
 Part no: 09.09-B



**Tor Cargo LSP 10W30**  
 ACEA E4, E6, E7, E8, E9, E11; API CK-4  
 Mack EOS 4.5; Renault VI RLD-3  
 Volvo VDS-4.5; Meets the requirements of: Cat ECF-3; Cummins CES 20086 / 20081; DAF PSQL 2.1E LD / Extended Drain; Detroit Diesel 93K222; Deutz DQC IV-18 LA; DTFR 15C110 / 15C120 / 15C100; JASO DH-2; MAN M 3775 / M 3477 / M 3271-1  
 MB 228.51 / 228.52 / 228.31  
 MTU Type 3.1 / 2.1; Scania Low Ash  
 Part no: 43.04



**LKW Max Power & Torque Fleet Line LSP 10W-30**  
 ACEA E7, E9, E11; API CK-4; Mack EOS-4.5; Renault VI RLD-3; Volvo VDS-4.5  
 Meets the requirements of: Cat ECF-3  
 Cummins CES 20086; Detroit Diesel 93K222; Deutz DQC III-18 LA  
 DTFR 15C100; Ford WSS M2C171-F1  
 MAN M 3775; MB 228.31  
 MTU Type 2.1  
 Part no: 10.33



**LKW Max Power & Torque Ultra HS 10W-30**  
 ACEA A3/B4, E7; API CI-4 / SH; Cat ECF-2  
 Cummins CES 20077 / 20078; Deutz DQC III-18; DTFR 15B110; Global DHD-1  
 JASO DH-1; MAN M 3275-1  
 MB 228.3; MTU Type 2; Renault VI RLD-2  
 ZF 05K / 07D / 21K  
 Part no: 10.30



**HD Super Synthturbo Fleet Oil 30 CF**  
 ACEA E2  
 API SG/CF  
 MB 227.0/228.0  
 MAN 270  
 Part no: 07.03



**HD Super Synthturbo Fleet Oil 40 CF**  
 ACEA E2  
 API SG/CF  
 MB 227.0/228.0  
 MAN 270  
 Part no: 07.04



**HD Super Synthturbo Fleet Oil 50**  
 ACEA E2  
 API SG/CF  
 MB 227.0/228.0  
 MAN 270  
 Part no: 07.05



**HD Fleet Oil SG/CF 70**  
 ACEA E2  
 API SG/CF  
 MB 227.0/228.0  
 MAN 270  
 Part no: 07.11



## Motorbikes and Scooters 2&4 Stroke Small Engine Motor Oils



**4T Motorcycle FS 20W50**  
API SN  
JASO MA2  
JASO MA  
Part no.12.06



**4T Super 10W40**  
API SL  
JASO MA2  
JASO MA  
Part no.12.27



**4T Super 20W50**  
API SL  
JASO MA2  
JASO MA  
Part no.12.29



**4T Motorcycle Synthetic 5W50**  
API SN  
JASO MA2  
JASO MA  
Part no.12.14



**4T Motorcycle Synthetic 10W40**  
API SN  
JASO MA2  
JASO MA  
Part no.12.19



**4T HD FS 20W50**  
API SN  
JASO MA2  
JASO MA  
Part no.12.07



**4T Motorcycle Synthetic 5W40**  
API SN  
JASO MA2  
JASO MA  
Part no.12.16



**4T Motorcycle Synthetic 10W60**  
API SN  
JASO MA2  
JASO MA  
Part no.12.21



**4T Motorcycle Synthetic 15W50**  
API SN  
JASO MA2  
JASO MA  
Part no.12.23



## Motorbikes and Scooters 2&4 Stroke Small Engine Motor Oils



### 4T Motorcycle FS 10W40

API SN  
JASO MA2  
JASO MA  
Part no.12.04



### 4T Motorcycle FS 5W50

API SN  
JASO MA2  
JASO MA  
Part no. 12.09



### 4T Motorcycle FS 5W40

API SN  
JASO MA2  
JASO MA  
Part no.12.15



### 4T Motorcycle FS 15W50

API SN  
JASO MA2  
JASO MA  
Part no.12.05



### 4T Motorcycle FS 20W50

API SN  
JASO MA2  
JASO MA  
Part no.12.06



### 4T Motorcycle FSES 5W50

API SN  
JASO MA2  
JASO MA  
Part no.12.24



### 4T Motorcycle FSES 20W50

API SN  
JASO MA2  
JASO MA  
Part no.12.25



### FS 2T Air Cooled Low Viscosity

API TC+  
JASO FD (Low Smoke)  
Husqvarna 226/Chainsaw  
ISO-L-EGD  
Piaggio Hexagon  
TISI  
Part no. 13.13



### FS 2T Racing

APITC  
JASO FD  
Husqvarna  
ISO-L-EGD  
Piaggio Hexagon  
Part no.13.12

## Motorbikes and Scooters 2&4 Stroke Small Engine Motor Oils



**Two Stroke Jaso**  
API TC; JASO FC  
ISO-L-EGC  
TISI  
Part no.13.05



**FS 2T Air Cooled**  
API TC  
JASO FD  
Husqvarna  
ISO-L-EGD  
Piaggio Hexagon  
Part no.13.03



**Two Stroke Ashless**  
NMMA TC-W3  
Part no.14.01



**Two Stroke HS (Low Smoke)**  
API TC  
JASO FD  
Global GD  
Husqvarna 272  
ISO-L-EGD  
2-Stroke DFI  
Part no.13.02



**Mineral Budget Two Stroke**  
API TC  
Part no.13.06



**Two Stroke  
ZTT**  
API TC  
Part no.13.01



## TRANSMISSION FLUIDS



### ATF MULTI

Aisin Warner JWS 3309 / 3324 / AW-1; Allison C4 / TES-389 / TES-295, JASO 1-A; BMW 7045E / 8072B / LA2634 / LT71141; DTFR 13C100/110/120/140/160/170/180 / 38B100; Ford Mercon V / XL-12, GM Dexron IID / IIIG / IIH; Honda DW-1/ATF-Z1, Hyundai/Kia JWS 3314 / NWS 9638; Hyundai/Kia SP-II/SP-III/SP-IV/SP-IV M/SP-IV RR; MAN 339 Type L1/V2/ Z2/Z11, Mazda ATF M-III/M-V; MB 236.1/.2/236.3/236.5/236.6/236.7/236.9/236.10; MB 236.11/236.12/236.14/236.15/236.81/236.91/93; Mitsubishi SP-II/SP-III/SP-IV/J2/J3; Nissan Matic D/J/K/S/W; Subaru ATF / HP, Suzuki 3314 / 3317; Toyota T/T-II/T-III/T-IV, Voith 55.6336; Volvo 97940 / 97341 (AT101); VW G 052 162 / 052 990 / 055 005 / 055 025; VW G 055 162 / 055 540 ZF TE-ML 04D/05L/09/11A/11B/14B/16L/17C/20B Part no. 21.17



### ATF VI

Aisin Warner JWS 3309(T-IV)/3324(WS)/AW-1/AW-2; Allison C3/C4 / TES-389/468; BMW ATF 2/3+/6/7 / 7045E/8072B/LA2634/LT71141; Cat TO-2, Chrysler ATF+/+2/+3; DTFR 13C100/120/140/150/170/38B100; Ford Mercon/LV/M2C138-CJ/166-H/922-A1/924-A/938-A; Fiat 9.55550-AV5/AV6; GM Dexron VI/II/III/IIIG/IIH / TASA; Honda ATF 3.0/3.1/DW-1/Z1(except in CVT) Hyundai/Kia SP-IV RR/M / JWS 3314/9638; Mazda M-III/A7; MB 236.1/2/3/236.5/236.7/236.8/236.9/236.41; Mitsubishi SP-II/SP-III/SP-IV/J2/J3/PA/MA1; Nissan Matic C/D/J/K/P/S/W; Porsche 3403-M115/T-IV, PSA B71 2340; Subaru ATF 5AT/HP, Suzuki ATF 3314/3317; Toyota D-II/D-III/T-III/T-IV/WS; Tesla Model S/3/X; Voith 55.6335.xx (G607), Volvo 97335/97340/1161540 VW G 052 025 / 052 055 / 052 162 / 052 990; VW G 053 001 / 053 025 / 055 005 / 055 025; VW G 055 162 / 055 540 / 060 162 ZF 3-/4-/6-/8-/9-speed / TE-ML 05L/09/11A/B/21L Part no. 21.12



### ATF 7G

Allison C4 / TES-389 / TES-295; BMW 7045E / 8072B / LA2634 / LT71141; Chrysler ATF+/+2/+3/+4; DTFR 13C110 / 13C140 / 13C150 / 13C170 / 13C180; Ford Mercon V / Mercon / WSS-M2C922-A1; GM Dexron II/IIID/IIIE/IIIG/IIH / TASA; Honda ATF-Z1 (except in CVT); Hyundai/Kia SP-II/SP-III/RED-1K, Isuzu ATF II/III; Jaguar JLM 20238/20292/21044, JASO M315 Type 1A; Mazda M-III/Type T-IV / JWS 3309; MB 236.5 / 236.6 / 236.7 / 236.8 MB 236.9 / 236.10 / 236.11 / 236.91 / 236.93; Mitsubishi SP-II/SP-III/J2, Nissan Matic D/J/K Subaru ATF HP, Suzuki ATF 3314/3317; Toyota DII/T/T-III/T-IV, Volvo 97341 / 1161540 VW G 052 025 / 052 055; VW G 052 162 / 052 990 / 055 025; ZF TE-ML 11A / 11B Part no. 21.20



### ATF DMM

Allison C4 / TES-389; Cat TO-2 DTFR 13C100 / 13C140 / 13C170 / 38B100 Ford Mercon / M2C138-CJ / 166-H GM Dexron IID / IIE / IIIF / IIIG / IIH / TASA MAN 339 Typ Z1 / V1 / Z2; MB 236.1 / 236.3 / 236.5 / 236.6 MB 236.7 / 236.9 / 236.10 / 236.93 Voith 55.6335 (G607); Volvo 97340 / 97341 (AT101) ZF TE-ML 02F/03D/04D/09/11A/11B/14A/14B/16L/17C Part no. 21.02



### MULTI Double Clutch Transmission Fluid

BMW DCTF-1 / 1+ / 2 / LT-5Borg warner; Bugatti Veyron; Chrysler 68044345 EA & GA; DTFR 13C130; Ferrari TF DCT-F3; Fiat 9.55550-HE2 / MZ6; Ford WSS-M2C936-A / M2C218-A1 / M2C200-D2; Hyundai/Kia MB 236.21 / 236.22 / 236.24 / 236.25 / 239.21; Mitsubishi Dia-Queen SSTF-1; Porsche/ZF FFL-3; PSA 9734 S2; Renault EDC / DC4 / DW5 / DW6 Volvo 1161838 / 1161839 / D1 / D2; VW G 052 182 / 052 529 / 055 529 VW G 052 536 / 055 536 Part no. 33.03



### ATF 9G

BMW DCTF-1 / 1+ / 2 / LT-5 Borg warner; Bugatti Veyron; Chrysler 68044345 EA & GA; DTFR 13C130; Ferrari TF DCT-F3 Fiat 9.55550-HE2 / MZ6; Ford WSS-M2C936-A / M2C218-A1 / M2C200-D2; Hyundai/Kia; MB 236.21 / 236.22 / 236.24 / 236.25 / 239.21; Mitsubishi Dia-Queen SSTF-1; Porsche/ZF FFL-3; PSA 9734 S2 Renault EDC / DC4 / DW5 / DW6 Volvo 1161838 / 1161839 / D1 / D2; VW G 052 182 / 052 529 / 055 529; VW G 052 536 / 055 536 Part no. 21.06

## TRANSMISSION FLUIDS



**ATF 15 LVB**  
MB 236.15  
Part no. 21.04



**ATF Long Life**  
Allison C4 / TES-389; Cat TO-2; DTFR 13C100 / 13C140 / 13C170; Ford Mercon / M2C138-CJ / 166-H; GM Dexron IID / IIE / IIIF / IIIG / IIH; MAN 339 Typ Z1 / V1 / Z2 / V2; MB 236.1/236.5/236.6/236.7/236.9/236.10/236.93; Voith 55.6335 / 55.6336  
Volvo 97340 / 97341; ZF TE-ML 02F/03D/04D/09/11A/11B/14A/14B/16L/17C  
Part no. 21.18



**MULTI CVT Fluid**  
Chrysler/Dodge/Jeep NS-2 / Mopar CVTF+4; Daihatsu Amix CVTF DC / DFC / DFE; Ford WSS-M2C928-A / Hybrid e-CVT; GM DEX-CVT / 1940713 / 1940714; Honda HMMF (without starting clutch) / HCF2 / HEVF; Hyundai/Kia CVT-1 / SP III (CVT model); Jatco CVT 8 Hybrid Mazda JWS 3320; MB 236.20; Mitsubishi SP-III (only CVT) / CVTF J1/ (ECO)J4/J4+; Mini Cooper EZL 799 / 799A; Nissan NS-1/2/2V/3 / N-CVT Subaru ECVT / iCVT / iCVT FG / CVT-LV / NS-2; Subaru Lineartronic High Torque (HT) CVTF; Subaru Lineartronic chain CVTF / CVTF II/III Suzuki CVTF TC / 3320 / 4401 / NS-2 / Green 1/2/1V; Toyota CVTF TC / FE / THSII; VW G 052 180 / G 052 516  
Part no. 33.02



**ATF 289**  
Allison C4  
Cat TO-2  
DTFR 13C140  
Ford Mercon / M2C138-CJ / 166-H  
GM Dexron IID  
MAN 339 Typ Z1 / V1  
MB 236.6 / 236.7  
Voith 55.6335 (G607)  
ZF TE-ML 09 / 11A / 14A  
Part no. 21.01



**ATF 8G**  
BMW 83 22 2 152 426 / 83 22 2 289 720 (ATF3+)  
Chrysler 68157995AA  
Fiat 9.55550-AV5  
Honda Type 3.1  
Jaguar 02JDE 26444  
Land Rover LR023288  
Part no. 21.03



**Hydraulic Transmission Fluid 540**  
API GL-4; Allison C4; Cat TO-2; Case MS 1210  
CNH MAT 3540 / 3525; FNHA-2-C-200.00 / 201.00  
Ford M2C86-C / M2C134-D; John Deere J20C/D  
Massey Ferguson M1141 / M1143 / M1145  
Valtra G2-08; Volvo WB 101 (97303)  
ZF TE-ML 03E / 05F / 06K / 17E / 21F  
Part no. 23.10



**ATF MULTI NEW**  
Aisin Warner JWS 3309 / 3324 / AW-1; Allison C4 / TES-389 / TES-295, JASO 1-A  
BMW 7045E / 8072B / LA2634 / LT71141; DTFR 13C100/110/120/140/160/170/180 / 38B100; Ford Mercon V / XL-12, GM Dexron IID / IIIG / IIH; Honda DW-1/ATF-Z1, Hyundai/Kia JWS 3314 / NWS 9638; Hyundai/Kia SP-II/SP-III/SP-IV/SP-IV M / SP-IV RR; MAN 339 Type L1/V2/Z2/Z11, Mazda ATF M-III/M-V; MB 236.1/2/236.3/236.5/236.6/236.7/236.9/236.10; MB 236.11/236.12/236.14/236.15/236.81/236.91/93; Mitsubishi SP-II/SP-III/SP-IV/J2/J3; Nissan Matic D/J/K/S/W; Subaru ATF / HP, Suzuki 3314 / 3317; Toyota T/T-II/T-III/T-IV, Voith 55.6336; Volvo 97940 / 97341 (AT101)  
VW G 052 162 / 052 990 / 055 005 / 055 025; VW G 055 162 / 055 540  
ZF TE-ML 04D/05L/09/11A/11B/14B/16L/17C/20B  
Part no. 21.17



**ATF FORD NEW**  
Ford M2C33-F/G  
Ford M2C9007-AA  
BorgWarner  
Volvo 97330  
Part no. 22.01



## TRANSMISSION FLUIDS



### ATF 7G LV NEW

Aisin Warner JWS 3309/3324/AW-1/AW-2, Allison C4; BMW 7045E/8072B/LA2634/LT71141/ATF3/3+/6/M-1375.4; Chrysler ATF+/+2/+3/+4, DTFR 13C110/140/150/170; Ford Mercon ULV/LV/V/SP / WSS-M2C922-A1 / M2C949-A; GM Dexron ULV/HP/VI/II/III/IV/TA SA Honda DW-1/3.0/3.1/ATF-Z1 (except in CVT); Hyundai/Kia SP-II-III/IV-IV RR/RED-1K/NWS 9638; Isuzu ATF II/III, Jaguar JLM 20238/20292/21044; JASO M315 Type 1A LV, Mazda FZ/M-III/Type T-IV; MB 236.5/236.6/236.7/236.8/236.9/236.10/236.11; MB 236.12/236.14/236.15 /236.17/236.41/236.93; Mitsubishi SP-II/III/J2/J3/PA, Nissan D/J/K/S/W; Subaru HP, Suzuki ATF 3314/3317, PSA B71 2340; Toyota DII/T-III/T-IV/W5, Volvo 1161540; VW G 052 025 / 052 055 / 052 162; VW G 052 533 / 052 990; VW G 055 005 / 055 025 / 055 540 / 060 162 ZF 11A / 11B  
Part no. 21.21



### ATF Duralife HD NEW

DTFR 13C140 / 13C170  
Ford Mercon; GM Dexron IID / III G / IIIH; MAN 339 V1 / V2 / V3 / Z1 / Z2 / Z3 / Z11 / Z12  
MB 236.6 / 236.7 / 236.9  
Voith 55.6335.xx / 55.6336.xx / 150.014524.xx; Volvo 97341 (AT101); ZF TE-ML 14A / 14B / 16R / 20B / 25B; ZF TE-ML 04D / 14C / 16M / 16S / 20C / 25C  
Part no. 21.22



### ATF Type A Suffix A NEW

ATF Type A Suffix A (TASA), ATF Dexron B  
Allison C3  
DTFR 13C120  
Ford M2C41-A/B  
MB 236.2  
Part no. 22.02



### MP Gear Oil 90

API GL-4  
MIL-L-2105  
Part no. 16.07



### Gear Oil 90

API GL-1  
Part no. 15.02



### Gear Oil 140

API GL-1  
Part no. 15.03



### MP Gear Oil 80W

API GL-4  
Mil-L-2105  
Part no. 16.01



### Uni Gear 85W140 LD/LS

API GL-4/GL-5/MT-1  
MIL-L-2105D/MIL-L-PRF-2105E, SAE J2360  
MAN 341 Z2 / 342 M2  
Scania STO 1:0  
ZF TE-ML  
05C/07A/12M/16C/16D/21C  
P > 1900 mg/kg (Liebherr)  
Part no. 20.04



### Export Gear Oil 80W90 GL-4

API GL-4  
Part no. 16.10



### Export Gear Oil 80W90 GL-5

API GL-5  
Part no. 16.11



### Uni Gear 75W80

API GL-4; MAN 341 Typ Z4  
ZF TE-ML 01L / 02L / 16K  
Meets the requirements of:  
DAF; Eaton Europe (extended drain); Iveco; Renault  
Volvo 97307  
ZF TE-ML 08 / 13 / 24A  
Part no. 18.02



## TRANSMISSION FLUIDS



### Uni Gear 75W90 HS

API GL-4/5  
MIL-L-2105  
VW 501.50  
Part no. 18.01



### Semi Synthetic 75W90 GL-5

API GL-5  
MIL-L-2105D  
ZF TE-ML 07A/17B  
Part no. 17.17



### HD Gear Oil HS 75W90

API GL-4/5  
MIL-L-2105  
VW 501.50  
Part no. 18.01



### Uni Gear 75W80 LD

API GL-4/GL-5/MT-1  
MIL-L-2105D/MIL-PRF-2105E, SAE J2360  
ZF TE-ML 02B/17B  
Part no. 18.12



### UTTO WB HT

API GL-4  
Allison C4  
Case MS1207 / MS1209  
Cat TO-2  
John Deere J20A  
Massey Ferguson M1141 / M1143 / M1145  
Volvo WB 102 (97304)  
ZF TE-ML 03E / 06K  
Part no. 23.07



### LD Gear Oil HS 75W140

API GL-4/GL-5/MT-1  
MIL-L-2105D/MIL-PRF-2105E, SAE J2360  
Scania STO 1:0  
ZF TE-ML 05A/07A/12B/12N/16F/19C/21A  
Part no. 18.13



### Gear Oil 85W140 GL-5

API GL-5  
Part no. 16.13



## Marine Series Engine Oils

OUTBOARD RANGE



### 4T Marine Outboard 10W30

NMMA FC-W  
Part no. 14.02



### 4T Marine Outboard 10W40

NMMA FC-W  
Part no. 14.04



### 4T Marine Outboard 25W40

NMMA FC-W  
Part no. 14.03



### HD Skipper Marine Xtra 1240

API CF; Wärtsilä; MAN  
MaK; Yanmar; Daihatsu  
HiMSEN; FZG load stage: 12  
Part no. 42.02



### HD Skipper Marine HMS-1200 - 15W40

API SF/CC  
CCMC G2/D1  
MIL-L-46152B/C  
Ford M2C153-C (SF/CC)  
Ford M2C9011-A  
GM 6085M  
Part no. 03.03



### HD Skipper Marine 1630

API CF; Wärtsilä; MAN  
MaK; Yanmar; Daihatsu  
HiMSEN; FZG load stage: 11  
Part no. 42.03



### HD Skipper Marine 1230

API CF; Wärtsilä; MAN  
MaK; Yanmar; Daihatsu  
HiMSEN; FZG load stage: 12  
Part no. 42.01



### HD Skipper Marine 1640

API CF; Wärtsilä; MAN  
MaK; Yanmar; Daihatsu  
HiMSEN; FZG load stage: 11  
Part no. 42.04



### HD Skipper Marine 2040

API CF; Wärtsilä; MAN  
MaK; Yanmar; Daihatsu  
HiMSEN; FZG load stage: 11  
Part no. 42.06

SKIPPER RANGE

## Marine Series Engine Oils

SKIPPER RANGE



### HD Captain Marine 3030

API CF; Wärtsilä; MAN  
MaK; Yanmar; Daihatsu  
HiMSEN; FZG load stage: 11  
Part no. 42.07



### HD Captain Marine 3040

API CF; Wärtsilä; MAN  
MaK; Yanmar; Daihatsu  
HiMSEN; FZG load stage: 11  
Part no. 42.08



### HD Captain Marine 4050

MAN Energy Solutions  
Winterthur Gas & Diesel (WinGD)  
Japan Engine Corporation (J-ENG)  
Part no. 42.12



### HD Captain Marine 4040

API CF; Wärtsilä; MAN  
MaK; Yanmar; Daihatsu  
HiMSEN; FZG load stage: 10  
Part no. 42.09

CAPTAIN RANGE

