

GT Synth IQ Formula 5W30

Description

A modern, synthetic, fuel economy motor oil based on special selected synthetic base oils with a high viscosity index and a well balanced choice of advanced additives to obtain the following properties:

- a lower fuel consumption
- a high and very stable viscosity index
- a high resistance against shearing
- a fast cold start
- a very strong resistance against oxidation
- a safe lubrication film at very high temperatures
- a very good detergency and dispersion
- a very strong protection against wear, corrosion and foaming

Application

A fuel economy, special composed synthetic motor oil recommended for use in petrol engines of passenger cars, which prescribe an oil with the specification GM dexos1 Ö Gen 2.

Specifications

API SP Resource Conserving
ILSAC GF-6A
GM dexos1 (TM) Gen 2
Meets the requirements of:
Chrysler MS 6395
Ford WSS-M2C946-A/B1 / WSS-M2C961-A1

Typicals

Density at 15 °C, kg/l	0,847
Viscosity -30 °C, mPa.s	4140
Viscosity 40 °C, mm ² /s	61,80
Viscosity 100 °C, mm ² /s	11,30
Viscosity Index	179
Flash Point COC, °C	224
Pour Point, °C	-33
Total Base Number, mgKOH/g	8,5
Sulphate Ash, %	0,89